

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/806,644	03/23/2004	Vahid Goudarzi	СЕ12694ЈМЕ	2480	
24273 7	590 12/02/2005		EXAMINER		
MOTOROLA INTELLECTU	., INC AL PROPERTY SECTION	SANDVIK, BENJAMIN P			
LAW DEPT		ART UNIT	PAPER NUMBER		
	JNRISE BLVD	2826			
FT LAUDERDAL, FL 33322			DATE MAILED: 12/02/2009	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applica	ition No.	Applicant(s)				
			,644	GOUDARZI, VAHID				
Office Action Summary		Examin	er	Art Unit				
		Ben P.	Sandvik	2826				
Period fo	The MAILING DATE of this commun or Reply	ication appears on t	he cover sheet w	ith the correspondence a	ddress			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MINISTRICT IN THE MINISTRICT	AILING DATE OF of 37 CFR 1.136(a). In no lunication. atutory period will apply and will, by statute, cause the a	THIS COMMUNION event, however, may a red will expire SIX (6) MON application to become AB	CATION. reply be timely filed NTHS from the mailing date of this BANDONED (35 U.S.C. § 133).				
Status								
1)	Responsive to communication(s) file	d on 16 Septembe	r 2005.					
2a)□								
3) 🗌	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
4)⊠	4)⊠ Claim(s) <u>1-17</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)□	Claim(s) is/are allowed.							
6)⊠	Claim(s) <u>1-17</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
8)□	Claim(s) are subject to restrict	tion and/or election	ı requirement.					
Applicat	ion Papers							
9)[The specification is objected to by the	e Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
	Applicant may not request that any object	= -	•					
_	Replacement drawing sheet(s) including							
11)	The oath or declaration is objected to	by the Examiner.	Note the attached	d Office Action or form F	PTO-152.			
Priority (under 35 U.S.C. § 119							
-	Acknowledgment is made of a claim All b) Some * c) None of:			§ 119(a)-(d) or (f).				
	 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 							
	2. Certified copies of the priority3. Copies of the certified copies				al Stane			
	application from the Internatio	, ,		received in this viduone	ar oluge			
* (See the attached detailed Office actio			received.				
			,					
Attachmer	t(s)							
	ce of References Cited (PTO-892)			Summary (PTO-413)				
	e of Draftsperson's Patent Drawing Review (P mation Disclosure Statement(s) (PTO-1449 or			s)/Mail Date nformal Patent Application (P	TO-152)			
Paper No(s)/Mail Date 6) Other:								

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 1-17 have been considered but are moot in view of the new ground(s) of rejection.

Upon further consideration, the Suppelsa reference does teach the limitations of the independent claims. More precisely, the Suppelsa reference teaches a conductive shield track and a solder cladding on said track as describing below.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 are rejected under 35 U.S.C. 102(b) as being anticipated by Suppelsa et al (U.S. Patent #5411199).

With respect to **claims 1 and 13**, Suppelsa teaches applying solder onto conductive areas on the substrate (Fig. 4, 302 and Col 2 Ln 57-58) including a conductive shield track for at least one shield (Fig. 2, track 112 on substrate 110), placing components onto the conductive areas for the components (Fig. 4, 304 and Col 2 Ln 60), a first reflow step (Fig. 4, 306) to provide solder joints for the components and a selectively solder cladded area over the conductive shield

Application/Control Number: 10/806,644 Page 3

Art Unit: 2826

track (Col 3 Ln 23), applying flux to the shield (Col 3 Ln 10-13), placing the shield over the solder cladded area (Fig. 4, 314), reflowing the assembly (Fig. 4, 316).

With respect to **claim 2**, Suppelsa teaches cleaning the substrate after reflow (Fig. 4, 306 and Col 2 Ln 62-63).

With respect to **claim 7**, Suppelsa teaches the step of applying solder preforms onto conductive areas (Fig. 4, 302).

With respect to **claims 9 and 17**, Suppelsa teaches the steps of: circumscribing a predetermined area on the substrate with at least a portion of a metallized trace pattern (Fig. 2, 112); applying solder to the metallized trace portion (Fig. 4, 302); placing components on portions of the metallized trace pattern (Fig. 4, 304); reflowing the solder to form substantially simultaneously a cladded trace pattern on a portion of the metallized trace pattern reserved for the shield (Col 3 Ln 23) and solder joints for the components (Col 2 Ln 63-64); placing the shield on the cladded trace pattern (Fig. 4, 314); and reflowing the substrate (Fig. 4, 316).

With respect to **claim 11**, Suppelsa teaches that the step of applying solder comprises applying a solder perform (Fig. 4, 302).

With respect to **claim 16**, Suppelsa teaches that the solder applied onto the conductive areas is solder perform (Fig. 4, 302).

Claim Rejections - 35 USC § 103

Art Unit: 2826

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suppelsa, in view of Lee (U.S. Patent #5620927).

With respect to **claim 3**, Suppelsa teaches all of the limitations of claim 1, but does not teach that the step of applying flux comprises the step of picking up the shield and dipping the shield into the flux. Lee teaches a process in which a component is dipped into flux before it is reflowed (Col 3 Ln 65-66). It would have been obvious to one of ordinary skill in the art at the time the invention was made apply the flux as in Suppelsa with the process of picking the shield up and dipping it into the flux as taught by Lee in order to remove oxides from the part to be connected by reflow.

Claims 4-6, 10, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Suppelsa, in view of Degani et al (U.S. Patent #5346118).

With respect to **claim 4**, Suppelsa teaches all of the limitations of claim 1, but does not teach that the step of applying solder paste onto the conductive shield track comprises the step of over printing the solder to increase the solder volume to the conductive shield track to accommodate for the shield's non-coplanarity. Degani teaches a process of overprinting the solder paste in a

Art Unit: 2826

connection (Col 4 Ln 15-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to overprint the solder applied on the conductive shield track as taught by Degani in order to achieve a satisfactory joint volume.

With respect to **claim 5**, Suppelsa teaches all of the limitations of claim 1, but does not teach that the step of placing components comprises the step of placing surface mount components onto the substrate. Degani teaches the placing of surface mount components onto a substrate (Col 1 Ln 14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the step in Suppelsa of placing components on the substrate to be placing surface mounted components on the substrate as taught by Degani in order to secure the components to the substrate.

With respect to **claim 6**, Suppelsa teaches all of the limitations of claim 1, but does not teach that the step of applying solder comprises the step of applying solder paste onto the conductive areas forming conductive pads for the components and the shield track. Degani teaches that a step of applying solder to form conductive pads for component to be connected comprises applying solder paste (Col 4 Ln 18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply solder paste to form conductive pads as taught by Degani in the step of applying solder in Suppelsa in order to enhance the connection between the components and shield track and the substrate.

With respect to **claim 10**, Suppelsa teaches all of the limitations of claim 9, but does not teach that the step of applying solder comprises the step of applying solder paste to the metallized trace pattern. Degani teaches that a step of applying solder to form conductive pads for component to be connected comprises applying solder paste (Col 4 Ln 18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply solder paste to form conductive pads as taught by Degani in the step of applying solder in Suppelsa in order to enhance the connection between the components and the substrate.

Page 6

With respect to **claim 12**, Suppelsa teaches all of the limitations of claim 9, but does not teach that the step of placing components comprises the step of placing a semiconductor die on portions of the metallized trace pattern. Degani teaches mounted an integrated circuit package on a substrate (Fig. 1, 10). It would have been obvious to one of ordinary skill in the art at the time the invention was made to mount a semiconductor die as taught by Degani in order to use miniaturized electronic components to reduce the size of the package.

With respect to **claim 14**, Suppelsa teaches all of the limitations of claim 13, but does not teach that the step of placing components comprises the step of placing surface mount components onto the conductive areas. Degani teaches the placing of surface mount components onto a substrate (Col 1 Ln 14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the step in Suppelsa of placing components on the

Page 7

substrate to be placing surface mounted components on the conductive areas as taught by Degani in order to secure the components to the substrate.

With respect to claim 15, Suppelsa teaches all of the limitations of claim 13, but does not teach that the step of applying solder comprises the step of applying solder paste onto the conductive areas. Degani teaches that a step of applying solder to form conductive pads for component to be connected comprises applying solder paste (Col 4 Ln 18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply solder paste to the conductive areas as taught by Degani in the step of applying solder in Suppelsa in order to enhance the connection between the components and shield track and the substrate.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suppelsa, in view of Liebman et al (U.S. Patent #5167361).

With respect to **claim 8**, Suppelsa teache all of the limitations of claim 1, but does not teach that the step of applying solder comprises the step of screen printing solder paste onto the conductive areas. Liebman teaches that a step of applying solder can comprise screen printing solder paste onto circuitry (Col 2 Ln 29-34). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the step of applying solder in Suppelsa comprise screen printing solder paste onto the conductive areas as taught by Liebman in

Art Unit: 2826

order to facilitate a connection between the components and the conductive areas.

SUPERVISORY PATER

TECHNOLOGY CT.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ben P. Sandvik whose telephone number is (571) 272-8446. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).